## Mega Master Engine Database Export-Import Guide

19 Februari 2023

Ver 1.0.0

## 1.Install HeidiSql

• Buka halaman Download HeidiSQL lalu download versi portable 64 bit



• Klik kanan pada file zip hasil download, lalu "Extract To ..." menggunakan winrar atau applikasi sejenis

Name	Date modified	Туре	Size
🔜 HeidiSQL_12.6_64_Portable.zip	Open		)
	Open in new ta	0	
	Open in new wi	ndow	
	Pin to Quick ac	cess	
	🚆 Edit with IntelliJ	IDEA	
	Edit with PhpSto	orm	
	🛯 Edit with WebSt	orm	
	Add to Favorite	5	
	🗙 Open with Code	2	
	Extract All		
	Pin to Start		
	Open with Winf	RAR	
	Extract files		
	Extract Here		
	Extract to "Heid	iSQL_12.6_64_Portable\"	
	🥺 PowerISO		>

• Setelah berhasil di extract masuk ke dalam folder hasil extract dan klik 2x pada file "heidisql.exe"

Name	Date modified	Туре	Size
📒 plugins	12/9/2023 1:12 PM	File folder	
🚯 fbclient-4.0.dll	12/22/2022 4:39 PM	Application exten	1,976 KB
📓 functions-interbase.ini	10/19/2021 7:21 AM	Configuration sett	2 KB
📓 functions-mariadb.ini	9/22/2022 7:24 AM	Configuration sett	399 KB
📓 functions-mssql.ini	10/11/2021 9:33 PM	Configuration sett	60 KB
🔊 functions-mysql.ini	4/28/2023 7:44 AM	Configuration sett	60 KB
📓 functions-postgresql.ini	10/11/2021 9:33 PM	Configuration sett	10 KB
📄 functions-redshift.ini	10/11/2021 9:33 PM	Configuration sett	40 KB
📓 functions-sqlite.ini	10/12/2021 7:53 PM	Configuration sett	69 KB
☐ gpl.txt	11/2/2017 11:51 AM	Text Document	18 KB
🐵 heidisql.exe	11/5/2023 12:13 PM	Application	23,185 KB
🚯 ibclient64-14.1.dll	3/10/2022 7:13 AM	Application exten	2,019 KB
libcrypto-1_1-x64.dll	12/10/2022 2:17 PM	Application exten	3,176 KB
🚯 libcrypto-3-x64.dll	11/5/2023 10:45 AM	Application exten	5,206 KB
🚯 libeay32.dll	5/8/2023 7:10 AM	Application exten	2,240 KB
🗟 libiconv-2.dll	12/22/2022 4:39 PM	Application exten	1,661 KB
🗟 libintl-8.dll	12/22/2022 4:39 PM	Application exten	680 KB
🗟 libintl-9.dll	2/11/2023 2:53 PM	Application exten	475 KB
🗟 libmariadb.dll	2/13/2022 7:48 PM	Application exten	1,008 KB
🗟 libmysql.dll	12/22/2022 4:39 PM	Application exten	4,647 KB

## 2.Export Database

• Setelah menjalankan step 1 maka aplikasi heidisql akan terbuka

• Klik tombol "New" lalu isikan data "User", "Password", dan "Port" dan tekan "Open" untuk masuk

Filter		🖋 Settings 🥚 SSH tu	nnel 🖋 Advanced 💡 SSL 📊 Statistics
Session name \land 🕅 🕅	Host 127.0	Network type:	MariaDB or MySQL (TCP/IP)
		Library:	libmariadb.dll
		Hostname / IP:	127.0.0.1
			Prompt for credentials
		Unan	Use Windows authentication
		Diser:	root
		Port:	3306
			Compressed client/server protocol
		Databases:	Separated by semicolon
		Comment:	

• Setelah masuk ke halaman utama, klik menu ke-5 (Tools) di menu paling atas, lalu klik "Export database as SQL"

🐵 Un	named\ - HeidiSQL Po	rtabl	e 12.6.0.6765										_		×
File E	dit Search Query	Тоо	ls Goto He	ŧlp											
× •	- 💉 🖹 🔓 👈 (		Flush	•	8		- 📒 🕶 🖺	] 📕 🔍	Q 🍯	A 100 010			Do	nate	
🏹 Data	base filter 🛛 👯 Tab	22	User manager		> Q	uery 🗔									
<b>~⊿</b> ι	Unnamed	ريج	Maintenance		ið: v	ariables 🕴	Status 🕨	Processe	s 🖬 C	ommand	-Statistics				
>	anfo		Bulk table edit	tor		Size	Items	Lact	Tabler	Views	Func	Proc	Trigg	Events	r
>	attendance	×	Launch comn	nand line		Size	items	Last	labics	VICWS	r une	PIOC	mgg	Events	
>	celoe	;	Sequal Sugge	st											·   .
>	celoe_prod150921	$\rightarrow$	Export databa	se as SOI											
>	control	••••	Export arid ro	ws	11										
>	control_client														.
>	dios_employee	CSV	Import CSV fil	e											
>	ejabberd		Insert files into	D TEXT/BLOB fields	-										
>	eprocurement	ر کر	Preferences												
>	ferocity			eprocurement											
>	fh_management			ferocity											
>	fresh			fh managemer	nt										
>	freshes			fresh											
>	freshnew			freshes											
>	glim										-				
>	information_schema			X Filter Z Page	lar ovr	rection									
	ialan					JIESSIOII								1.44	
11 12	/* Reading funct SHOW TABLES FROM	ion ìi	definition nformation_	s from C:\My Data\ schema`;	nme e	xport\New j	older\He	idiSQL_1	12.6_64	Portab	le\funct	ions-ma	riadb.i	ni */	
13	SHOW DATABASES;														
14	/* Entering sess /* Scaling contr	rols	to screen l	~/ DPI: 100% */											1
Dump d	atabase objects to an S	SQ		🕓 Connected: 0( 🛹 N	/JariaD	B 10.5.4	Uptime:	00:09 h	(	Server 1	time: 1: 🔿	ldle.			

• Kemudian akan muncul sebuah popup, centang database yang ingin di export contohnya "mme\_engine", lalu disebelah kanan akan ada beberapa konfigurasi bisa, mengikuti konfigurasi yang ada digambar bawah atau menyesuaikan keinginan sendiri, pada bagian filename itu adalah tempat penyimpanan file yang akan export, jika sudah bisa langsung klik export dan tunggu hingga prosesnya selesai biasanya ini akan memakan waktu, tergantung dari besarnya ukuran database yang diexport.



D\_FOREIGN\_KEY\_CHECKS, 1) \*/;

## 3.Import Database

Pada bagian pojok kiri atas klik file lalu jika sudah muncul popup klik "Run SQL File"



Nanti akan muncul poup File Exprorer lalu cari dimana lokasi file export database tadi yang sudah di simpan, kemudian klik open

	🐵 Open						×
CR	$\leftarrow \rightarrow \checkmark \uparrow$	= :	Documents > Navicat	› · (	C	Search Navicat	م
	Organise 🔹 Nev	v folder				≣ .	
	A Home	1	Name	Date modifie	d	Туре	Size
)	🔁 Gallery		MySQL	06/01/2024 1	0:41	File folder	
	> 🗙 Muhamad - F	ers	🚞 Premium	12/01/2024 20	0:48	File folder	
		. 1	backup_mme.sql	19/02/2024 1	7:35	SQL Source File	942
<b>IN</b> (1		*	🛢 mme.sql	19/02/2024 1	6:06	SQL Source File	3
	Documents	*					
lter 'r	E Desktop	*					
lin In	<b>Pictures</b>	*					
) n 's	A Music						_
551 1`	F	ile name:	backup_mme.sql		$\sim$	SQL files (*.sql)	~
's `s				Encoding: Auto detect (may fail)	~	Open	Cancel

Jika muncul peringantan seperti ini klik yes saja

LT NULL, LT NULL, 'E utf8mb4_unicode_ci NOT NULL, NULL DEFAULT 0, ' NULL DEFAULT current_timestan AULT NULL	ıp(),	
RSET=utf8mb4 COLLATE=u Unname	ed: Confirm	×
meitainc_balance`	Really auto-detect file encoding?	
<pre>ce` (`id`, `id_member` '2024-01-31 20:45:58',</pre>	Auto detecting the encoding of a file is highly discouraged. You may experience data loss if the detection fails.	d_at`) VALUES
(le`, -1 <b>AS</b> `Rows`, 0 A	To avoid this message select the correct encoding before pressing Open.	
, -1 AS `Rows`, 0 AS `	Yes Cancel	
`Rows`, 0 AS `Duration`;		
<pre>:, -1 AS `Rows`, 0 AS `Duration </pre>	n`;	
, -1 AS `Rows`, 0 AS `Duration	r);	
le`, -1 AS `Rows`, 0 AS `Durat	ion`;	

proses import akan membutuhkan beberapa menit tergantung dari besarnya database

-CK3-@@FONEION_KEI_CHECK3, FONEION_KEI_CHECK3-0	1,
_MODE, SQL_MODE='NO_AUTO_VALUE_ON_ZERO' */;	
NOTES, SQL_NOTES=0 */;	

<pre>^ mme_wallet Let`; me_wallet` /*!40106</pre>	L Importing file backup_mme.sql	×
	Processing query #959.	
	Position in file: 742,4 KiB / 942,9 KiB. Affected rows: 2.414.	
AS `Rows`, 0 AS `D		
, 0 AS `Duration`	Can	cel
AS "Rows", 0 AS "	Juration ;	
AS "Rows", 0 AS "Do	uration";	
-1 AS "Rows" 0 AS	"Duration".	